

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 559 222 A2**

(12)

**EUROPEAN PATENT APPLICATION**(21) Application number: **93103594.3**(51) Int. Cl.<sup>5</sup>: **G06F 9/44**(22) Date of filing: **05.03.93**(30) Priority: **06.03.92 US 847457**(43) Date of publication of application:  
**08.09.93 Bulletin 93/36**(84) Designated Contracting States:  
**BE DE FR GB IT LU NL**(71) Applicant: **MICROSOFT CORPORATION**  
**One Microsoft Way**  
**Redmond, Washington 98052-6399(US)**(72) Inventor: **Straub, Eric**  
**12624 Northeast 66th Place**  
**Kirkland, Washington 98033-8500(US)**  
Inventor: **Dryfoos, Mike**  
**7804 Northeast 167th Street**  
**Bothell, Washington 98011(US)**(74) Representative: **Patentanwälte Grünecker,**  
**Kinkeldey, Stockmair & Partner**  
**Maximilianstrasse 58**  
**D-80538 München (DE)**(54) **Improved method for loading programs.**

(57) A method for interfacing an operating system extension with a personal computer includes the step of providing a function command to the operating system of the personal computer when the operating system extension performs a function typically performed by the operating system of the personal computer. The operating system of the personal computer responds to the function command to perform functions unique to the operating system of the personal computer so that the application program will execute properly. As an example, when an application program is being loaded by an operating system extension, the operating system of the personal computer responds to the function command by revising the application program so that the application program will be compatible with the personal computer.

**EP C 559 222 A2**

### Technical Field

The present invention is directed toward a method for loading programs and, more particularly, toward a method for loading programs using an operating system extension.

### Background of the Invention

Most personal computers include a microprocessor or other data processing device for executing application programs, a disk drive for substantially permanent storage of application programs, computer memory for storing the application programs when they are being executed, and an operating system for interfacing the application programs with the computer. The application programs are typically stored on a fixed storage medium, such as a floppy disk or the disk drive of the personal computer, for access by the computer. To execute the application program, the user loads the application program into the computer memory, where it can be accessed more quickly by the computer. In these systems the application program is loaded into the computer memory by the operating system of the computer.

However, personal computers can be configured in a manner such that the application program is loaded by an operating system distinct from that of the personal computer for execution by the operating system of the personal computer. These configurations include operating system extensions that are provided for interfacing the operating system of the personal computer with a resource. In some cases, the operating system extensions will load their own application programs. As examples, networking systems include operating system extensions that load a certain class of application programs. As another example, memory managers include operating system extensions that load certain application programs.

In the configuration of a personal computer with an operating system extension, the operating system of the personal computer has no opportunity to perform functions associated with the loading of the application program into the memory space of the operating system extension. Accordingly, functions that are associated with the loading of an application program and are unique to the operating system of the computer cannot be performed. Since the performance of these functions may be necessary for proper operation of the application program with the computer, it is desirable to provide method for enabling the operating system of a computer to perform these functions when an application program is being loaded into the memory space of an operating system extension.

More particularly, some application programs must be revised to enable the application program to operate properly with the configuration of the computer. One manner of revision is to associate a version number of the operating system of the personal computer with the application program so that the application program will recognize the operating system. Another manner of revision is to replace predetermined instructions and data of the application program with alternate instructions and data so that the application program is compatible with a personal computer configured with the operating system stored in the high memory area (HMA). These revisions, and the reasons therefor, are discussed in greater detail in U.S. Patent Application Serial No. \_\_\_\_\_, entitled Method

For Storing Programs, by Eric Straub *et al*, filed \_\_\_\_\_ (concurrently herewith), the disclosure of which is incorporated herein by the foregoing reference thereto.

Accordingly, it is desirable to provide a method for enabling the operating system of a personal computer to revise an application program when it is stored in the memory space of an operating system extension.

### Summary of the Invention

The present invention is a method for interfacing an operating system extension with a computer wherein the operating system extension is constructed for executing an application program and wherein the computer includes an operating system. The method includes the step of providing a function command to the operating system of the computer to identify the performance of a predetermined function by the operating system extension on the application program. The method further includes the step of responding to the function command to perform any functions unique to the operating system of the computer for proper execution of the application program.

In one present embodiment of the invention, the operating system extension includes an address space for loading the application program, the method further includes the step of loading the application program into the address space of the operating system extension to create an image of the application program. The function command is provided to the operating system of the computer to indicate that the operating system extension has loaded the application program into its address space. In another embodiment of the invention, the computer responds to the function command to revise the image of the application program so that the application program will execute properly with the computer.

### Brief Description of the Drawings

Figure 1 is a decision flow diagram illustrating the method of the subject invention; and  
Figure 2 is a decision flow diagram illustrating a presently preferred embodiment of the method of the present invention

### Detailed Description of the Invention

The present invention provides a method for interfacing an operating system extension with a personal computer. The personal computer includes memory space for storing application programs and an operating system for interfacing the application programs with the personal computer. The operating system extension is constructed to load a certain class of application programs into the memory space for execution by the operating system of the personal computer. Examples of operating system extensions include some networking systems and memory managers. Other examples of operating system extensions will readily become apparent to those skilled in the art.

In a presently preferred embodiment of the invention, the personal computer is configured with its operating system in the high memory area of its memory space. The operating system of the personal computer is configured to revise application programs when they are loaded into its memory space so that the application programs will execute properly with the personal computer as configured. As an example, the operating system of the personal computer is configured to revise the application program by associating a version number of the operating system with the application program loaded in its memory space so that the application program will recognize the operating system by the version number. As another example, the operating system is configured to revise the application program by replacing a predetermined set of instructions and data with an alternate set of instructions and data so that the application program will operate properly when loaded into the lowest available region of the memory space of the operating system extension. The particular revisions made to the application programs by the operating system of the subject invention, and the reasons therefor, are discussed in greater detail in U.S. Patent Application Serial No. --, entitled *Method For Storing Programs*, by Eric Straub, et al., referenced above.

In accordance with the subject invention, the operating system of the personal computer is interfaced with an operating system extension to enable the operating system to perform functions unique to the operating system of the personal computer when the operating system extension is performing

functions usually performed by the operating system of the personal computer. An example of the functions referenced herein are the revisions to the application program discussed above and in the above referenced U.S. Patent Application Serial No. --, entitled *Method For Storing Programs*, by Eric Straub, et al. However, those skilled in the art will recognize that the method of the present invention could be used to permit the operating system of the personal computer to perform any function unique to the operating system.

A description of the invention will be provided by reference to Figure 1. Therein, the method is initiated any time a command is received from the user of the personal computer to instruct the operating system extension to operate on an application program, step 100. The command may be a command to load an application program, a command to begin execution of an application program, or any other command for the operating system extension to perform an operation on the application program. Although the command is issued by the user of the personal computer, the command is transferred to the operating system extension for the operating system extension to perform the operation on the application program.

While the operating system extension is performing functions to complete the requested operation on the application program, it determines whether it is performing a function typically performed by the operating system of the personal computer, step 102. If it is, it sends a function command to the operating system of the personal computer, step 104, to identify the function being performed by the operating system extension and to enable the operating system of the personal computer to perform any unique functions associated with the identified function. The operating system of the personal computer responds to the function command to perform any functions unique to the operating system, associated with the function being performed by the operating system extension, and necessary for proper operation of the application program, step 106. After the operating system of the personal has completed the functions of step 106, the operating system extension continues the performance of the requested operation, step 108.

As discussed above, the present invention is applicable to any function performed by the operating system extension that is typically performed by the operating system of the personal computer. In a presently preferred embodiment of the invention, the method is used when the operating system extension loads an application program into memory. In this embodiment, the operating system extension loads an application program, to create an image of the application program, step 200, Figure

2. Thereafter, the application program provides the function command, discussed above by reference to step 104 of Figure 1, to the operating system of the personal computer, step 202. As illustrated in Figure 2, the particular command to indicate that the operating system extension has loaded an application program is the set execution state command. Those skilled in the art will recognize that different function commands will be provided by the operating system extension to identify other functions of the operating system of the personal computer that the operating system extension may be requested to perform.

The operating system of the personal computer responds to the set execution state command to revise the image of the application program so that the application program will be compatible with the configuration of the personal computer, step 204. As discussed above, the operating system of the personal computer is capable of revising the application program by associating a version number of the operating system with the application program so that the application program will recognize the operating system by the associated version number. The operating system is also capable of revising the application program by replacing a predetermined set of instructions and data with an alternate set of instructions and data so that the application program will operate properly when loaded into the lowest available region of the memory space of the operating system extension.

After the operating system of the personal computer has completed its revisions to the application program, the operating system will provide a response to the operating system extension to indicate that the revisions are complete, step 206, so that the operating system extension can complete the loading operation and the execution of the application program may begin, step 208. Those skilled in the art will recognize that different responses may be provided to indicate the completion of different functions. Also, it is possible that the operating system of the personal computer may respond by issuing a command to the operating system extension to take some action before proceeding with the requested operation.

Further, it will be apparent to those skilled in the art that, depending upon the operation being performed by the operating system extension, and the functions to be performed by the operating system of the personal computer, it may be desirable to provide the function command prior to, during, or after performance of the operation. Further, those skilled in the art will recognize that since different function commands are provided to indicate different operations being performed by the operating system extension, the function command can further indicate the completion status of

the operation.

It will be apparent to those skilled in the art that although only several presently preferred embodiments of the invention have been described in detail herein, many modifications and variations may be provided without departing from the true scope and spirit of the invention. Accordingly, the invention is not limited except as by the appended claims.

## Claims

1. A method for interfacing an application program with a computer, the computer including an operating system, the computer being coupled to an operating system extension, said method including the steps of:
  - (a) loading the application program by the operating system extension to create an image of the application program;
  - (b) providing a function command to the operating system of the computer after the application program has been loaded;
  - (c) responding to the function command to revise the image of the application program so that the application program will execute properly with the computer; and
  - (d) providing a response to the operating system extension to indicate that the image of the program is ready to be executed.
2. The method as recited in claim 1 wherein step (c), responding to the function command to revise the image of the application program comprises the substep of:
  - (e) associating information identifying a compatible configuration of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the configuration of the computer.
3. The method as recited in claim 1 wherein step (c), responding to the function command to revise the image of the application program comprises the substep of:
  - (e) associating information identifying a compatible version of the operating system of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the operating system of the computer.
4. The method as recited in claim 1 wherein step (c), responding to the function command to

revise the image of the application program comprises the substep of:

- (e) examining the image of the application program for predetermined information and replacing the predetermined information with alternate information. 5
5. A method for interfacing an operating system extension with a computer wherein the computer includes an operating system and wherein the operating system extension is constructed for performing operations on an application program, said method comprising the steps of:
- (a) providing a function command to the operating system of the computer to identify the performance of a predetermined function by the operating system extension on the application program; and 15
  - (b) responding to the function command to perform any functions unique to the operating system of the computer, associated with the predetermined function, and necessary for proper execution of the application program. 20
6. The method as recited in claim 5 wherein the operating system extension is constructed for loading the application program, said method further including the step of:
- (c) loading the application program by the operating system extension to create an image of the application program. 25
7. The method as recited in claim 6 wherein step (a), providing a function command to the operating system of the computer, comprises the substep of:
- (d) providing the function command to indicate that the operating system extension has loaded the application program into its address space. 30
8. The method as recited in claim 7 wherein step (b), responding to the function command to perform any functions unique to the operating system of the computer, comprises the substep of:
- (e) responding to the function command to revise the image of the application program so that the application program will be compatible with the computer. 35
9. The method as recited in claim 8 wherein step (e), responding to the function command to revise the image of the application program comprises the substep of:
- (f) associating information identifying a compatible configuration of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the configuration of the computer. 40
10. The method as recited in claim 8 wherein step (e), responding to the function command to revise the image of the application program comprises the substep of:
- (f) associating information identifying a compatible version of the operating system of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the operating system of the computer. 45
11. The method as recited in claim 8 wherein step (e), responding to the function command to revise the image of the application program comprises the substep of:
- (f) examining the image of the application program for predetermined information and replacing the predetermined information with alternate information. 50
12. The method as recited in claim 5 further comprising the step of:
- (c) providing a response to the operating system extension to indicate that the operating system of the computer has completed performing its unique functions. 55
13. The method as recited in claim 12 wherein the operating system extension is constructed for loading the application program, said method further including the steps of:
- (d) loading the application program by the operating system extension to create an image of the application program; and
  - (e) providing the function command to indicate that the operating system extension has loaded the application program into its address space.
14. The method as recited in claim 13 wherein step (b), responding to the function command to perform any functions unique to the operating system of the computer, comprises the substep of:
- (f) responding to the function command to revise the image of the application program so that the application program will execute properly with the computer.

15. The method as recited in claim 14 wherein step (f), responding to the function command to revise the image of the application program comprises the substep of:

(g) associating information identifying a compatible configuration of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the configuration of the computer.

5

10

16. The method as recited in claim 14 wherein step (f), responding to the function command to revise the image of the application program comprises the substep of:

(g) associating information identifying a compatible version of the operating system of the computer with the image of the application program so that when requested, the information will be provided to the application program and the application program will recognize the operating system of the computer.

15

20

25

17. The method as recited in claim 14 wherein step (f), responding to the function command to revise the image of the application program comprises the substep of:

(g) examining the image of the application program for predetermined information and replacing the predetermined information with alternate information.

30


35


40

45

50

55

*Figure 1*

*Figure 2*

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

Publication number:

**0 559 222 A3**

(12)

**EUROPEAN PATENT APPLICATION**

(21)

Application number: **93103594.3**

(51)

Int. Cl.<sup>5</sup>: **G06F 9/44**

(22)

Date of filing: **05.03.93**

(30)

Priority: **06.03.92 US 847457**

(43)

Date of publication of application:  
**08.09.93 Bulletin 93/36**

(94)

Designated Contracting States:  
**BE DE FR GB IT LU NL**

(98)

Date of deferred publication of the search report:  
**06.04.94 Bulletin 94/14**

(71)

Applicant: **MICROSOFT CORPORATION**  
**One Microsoft Way**  
**Redmond, Washington 98052-6399(US)**

(72)

Inventor: **Straub, Eric**  
**12624 Northeast 66th Place**  
**Kirkland, Washington 98033-8500(US)**  
Inventor: **Dryfoos, Mike**  
**7804 Northeast 167th Street**  
**Bothell, Washington 98011(US)**

(74)

Representative: **Patentanwälte Grünecker,**  
**Kinkeldey, Stockmair & Partner**  
**Maximilianstrasse 58**  
**D-80538 München (DE)**

(54)

**Improved method for loading programs.**

(57)

A method for interfacing an operating system extension with a personal computer includes the step of providing a function command to the operating system of the personal computer when the operating system extension performs a function typically performed by the operating system of the personal computer. The operating system of the personal computer responds to the function command to perform functions unique to the operating system of the personal computer so that the application program will execute properly. As an example, when an application program is being loaded by an operating system extension, the operating system of the personal computer responds to the function command by revising the application program so that the application program will be compatible with the personal computer.

**EP 0 559 222 A3**



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number

EP 93 10 3594

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 34, no. 7A, December 1991, pages 489-491, Armonk, NY, US; "Loading Terminate and Stay Resident Modules into Expanded Memory" * page 489, paragraph 2 - page 490, paragraph 1 *	1-17	G 06 F 9/44
P,A	EP-A-0 498 130 (INTERNATIONAL BUSINESS MACHINES CORPORATION) * column 1, line 32 - column 3, line 13 *	2,3,9-11,15-17	
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			G 06 F
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
BERLIN		21-12-1993	ABRAM R
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	